

BEFORE THE FEDERAL COMMUNICATIONS COMMISSION WASHINGTON, D.C.

In the Matter of)	
)	
Modernizing the E-rate Program)	WC Docket No. 13-184
for Schools and Libraries)	CC Docket No. 02-6
Universal Service Administrator by)	
)	
Wireline Competition Bureau Public Notice)	
Seeking Comment on Category 2 Budgets)	
)	

E-RATE MANAGEMENT PROFESSIONALS ASSOCIATION COMMENTS ON THE WIRELINE COMPETITION BUREAU'S PUBLIC NOTICE SEEKING COMMENTS ON CATEGORY TWO BUDGETS (DA 17-921)

The E-Rate Management Professionals Association, or E-mpa®, is an advocate for the critical role served by E-Rate management professionals and consultants. The organization strives to strengthen and support the E-Rate program by acting as a self-certifying body of E-Rate management professionals and consultants. E-mpa®'s mission is to promote excellence and ethics in E-rate professional management and consulting through certification, education, and professional resources.

This organization is pleased to be able to submit comments regarding the sufficiency of budgets for category two services under the E-rate program.

E-mpa® believes that the implementation of a Category 2 budget, introduced with the E-Rate Modernization Order, has succeeded in allowing funding to flow to applicants that have not received Category or Priority Two funding in the past, due to the budget threshold. Simply put, for many years, the funds in the program were exhausted before the 70% discount applicants could be funded. After the implementation of the "Per Pupil" budget, applicants at ALL discount levels have received funding for Category 2 requests for funding years 2015, 2016 and 2017.

Generally, the overall effect has been positive, however the implementation method has had some unforeseen consequences. The application process has gotten significantly more complex. The backend processes necessary to keep track of the additional complexity are, in themselves

Page | 1 www.e-mpa.org



complicated. Simple data entry for the Form 471 is exponentially more time-consuming. On average, the time to data-enter a Category 2 application has quadrupled.

Additional complications with the advent of category two budgets include applicants having far less flexibility to make local decisions, applicants of all sizes and situations are finding that the allowable category two budget falls considerably short of their needs, and finally, the complexity of the entire application process, the hassle to make post-commitment changes and overall tracking intricacies adds additional steps to the process which increases processing time and resources by both USAC and the applicant and increases the chance for mistakes, and potential funding denials.

Implementation of By-District Budget

E-MPA® is aware that one of the goals of tracking equipment by location is to more accurately gauge the efficiency of the program by providing more detailed metrics in terms of technology penetration. While this is a laudable goal, it directly contradicts the goal of simplifying the program. In fact, this can be distilled down to the axiom, "More detail, more complicated." As long as the FCC, mandates that applicants keep track of installed equipment on a per building basis, attempts to simplify the program will fail.

Another deleterious aspect to a per-site budget is that it removes the decision-making power from local authorities. We believe Applicants are best trusted to make informed decisions on placement of equipment to maximize the educational value for their students or patrons. E-MPA® believes that there is no single factor that complicates the process more than the requirement to budget and track Category 2 equipment on a per building basis. Simply put, this one element dwarfs all others in terms of added complexity, added time, and reduced flexibility.

E-MPA therefore recommends that the FCC discontinue the "per entity" budget in favor of a "per district" budget, carefully reconsider the per-student amount for Category two budgets, and allow an applicant to pay their non-discount share of category two projects in an installment plan, up to four years, just as they can for special constructions costs.

We see the benefits as follows:

- Applicants only need to report the total number of items purchased, not apportioned by location. This will greatly simplify the Form 471, reducing the time required by an applicant to complete the form, and reduce potential errors made during the filing process.
- The backend processes will be streamlined. The applicant's budget may be tracked as a single amount, rather than a separate sum per building. One number, decremented yearly equates to simplification.

Page | 2 www.e-mpa.org

E-mpa®

E-Rate Management Professionals Association

- E-MPA® projects that a simplified application and simplified backend processes will significantly reduce the time to process applications. Faster processing will allow funds to be committed and disbursed in a more timely manner.
- By allocating an applicant's budget as a per-pupil per district aggregate total, applicants will have greater flexibility in the placement of equipment, and far less paperwork required to track the equipment. They can freely move equipment between eligible locations without needing to file an appeal or being required to leave the equipment in place for three years when it could be beneficial at another eligible site. We agree with the program requirement that an applicant keep a piece of equipment in operation for five years, however removing the by-location requirement will allow the freedom to move that piece of equipment to a different eligible location, when that best serves their needs.
- Allocating an applicant's budget by district or library system, will allow the freedom to allocate their budget dollars as they see fit. If, for example, a district determines that its Technology Academy requires a greater per-pupil expenditure than an Early Childhood Center, the district can put resources where they will do the most good. A library system will be able to spend more per square foot on its Community Access branch than on a bookmobile.
- In the past, many applicants had schools at different discount levels, (some at 90%, some at 80%, for example) under the previous discount calculation method, and their high-discount schools received much more E-Rate funding than their lower discount schools. As a result, their higher-discount schools may be more "current" than their lower-discount counterparts. A per-district budget will allow larger schools districts to help those lower-discount schools "catch up" by reapportioning some of the funding that under the current "per entity" budget cannot be so reallocated. In short, this change will provide greater flexibility for the individual school district to adjust to their individual needs. We feel the decision making is best held at the local level rather than at the Federal level.
- Shared resources will be much simpler to track. Under the current system, if an applicant wishes to purchase a single, shared router for the district, they need to apportion the cost between the entities using the router. For example, if the router is shared between five schools, each of the five schools needs to contribute some of their budget toward the router. It can be evenly shared, 20% per entity, or divided in a different way, as the applicant sees fit. It is complicated, and prone to error. School districts, especially large, urban school districts, change constantly. New schools open, older schools close, schools merge, and split, and are reconstituted in place. By the current rules of the program, a new school cannot use a shared router if it has not contributed to its cost. The budget method being proposed here will correct that.

E-MPA® understands that this proposed change will reduce the amount of data collected by the program, which, while conveying the benefits detailed above, will also obscure the distribution of technology within the constituent buildings within a district. E-MPA® believes this level of detail is wholly unnecessary. If a school district requests 800 data drops, is it at all useful to

Page | 3 www.e-mpa.org



know that School A received 450 of those data drops, while School B received the remaining 350 data drops? Or if a school district requests 50 network switches, is it useful to know that School C received 10 of those switches, School D received 25 of those switches, and School E received the remaining 15 switches?

Increase the Category Two Budget Per Student Amount

E-mpa® strongly urges the FCC to raise the per student category two budget amount. These comments include fifteen examples of applicants, of varying sizes and urbanity, whereas the local area network projects suffered or were not completed due to the insufficiency of the category two budget. The additional budgetary strain of now having to pay in-full for voice services, for all but 90% applicants, contributes to the financial strain. E-mpa® is not advocating for the FCC to reinstate voice services as fully eligible for E-rate discounts, we are merely pointing out considerations on E-rate applicants' budgets.

E-rate Modernization and the FCC bandwidth standards have brought forth high speed broadband connections to applicants nationwide, a feat for which it should be lauded. A fast broadband connection to a building, however does not in itself translate to a robust and technology rich learning environment. The building must be capable of delivering the bandwidth to the end user.

The stories of 15 applicants, a cross-section from across the country, are provided to support the wide-ranging need for additional E-rate support for category 2 equipment and services. Thousands more examples of the need for additional category two funding can be provided upon request.

Pressly Elementary, member of Iredell-Statesville School District in North Carolina, provides education for students with special needs. They have 41 students full time students and it is the smallest representative school in our sample set. The most cost-effective bid for their switching and wireless LAN equipment totaled \$15,293.00, which was more than double their available category 2 budget. In order for Pressly Elementary to afford this minimal project, its per-student budget would have to be \$373.01 per student.

Turlock Unified School District in California is the largest district in our sample set with 13,950 students. The District requires new data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed. The Cat 6 cabling will be added to the existing copper infrastructure, providing data connectivity for the upcoming Network Electronics project which will provide a 1:1 wireless environment. The legacy 62.5 fiber optics will need to be removed and replaced with new single-mode fiber optic cabling. This cable will serve as the backbone infrastructure for an upcoming upgrade from 1GB to 10GB network optics. This project includes all patch cords, wireless access points and wireless controller connecting all devices to the existing core/edge switches and 4500X and 2960 switch configuration and installation.

Page | 4 www.e-mpa.org

E-mpa®

E-Rate Management Professionals Association

When Turlock USD evaluated bids for the total project, the E-rate amount per student was \$220.76. Luckily, Turlock could reuse most of the District's current trenching, conduit and raceway systems. Had they not, this project would have skyrocketed to over \$350.00 per student.

Hoke Cunty High School in North Carolina desperately needs to replace cabling, aging network switches and upgrade wireless access points but could not afford to purchase the additional equipment required in order to implement a 1 to 1 initiative. Hoke Cunty's project reflected the lowest per-student amount on our sample set of applicants at \$174.40.

The highest per-student amount, \$1,692.21 per student, is reflected by Taft Union High School District's category 2 project. Taft UHSD requires new data cabling to be installed throughout the campus. All new Category 6 cable must be installed. New Horizontal Connection (HC) cabinets will be built using a wall mount data cabinet that will be provided. Taft requires an upgrade to the existing network infrastructure. Each bidder was to be responsible for the removal and replacement of the existing edge switches and replacement with nH4:H10ew Juniper 3300 10gb ready switches. Also included in the project, Wireless Access Points will be provided throughout the campus providing a 1:1 deployment. Bidders were to include additional wireless bridges to connect the remote field house to the main campus as well as exterior locations to provide coverage for student common areas.

The scopes of these projects are consistent with applicants' needs across the country and begin to provide the FCC with insight to the applicant community's actual needs, in lieu of skewed data as reported on Forms 471. Applicants have long been instructed by USAC to only request category two funding up to their allowable category two budget in order to ease application review. Thus, USAC and the FCC have never had data reflective of applicants' actual needs. Based upon the sample set of applicants, the average per-student amount necessary to facilitate real and necessary network infrastructure upgrades is \$429.31 per student. E-mpa agrees that the realistic per-student amount necessary to allow applicants to fully utilize their highspeed broadband connections across a robust local area network is no less than \$400 per student for the period of five years. We implore with the FCC to consider tangible needs, reflective of what E-mpa® has provided, when writing the future of the E-rate program.

Applicants Pay Non-Discount Portion on Installment

There is a sub-set of applicants who have not utilized their available category two budgets. The reasons are as varied as the applicants.

The FCC has the ability to encourage applicants to fully utilize their category two budgets by allowing them to pay their non-discount portion on installments, as afforded currently for special construction fiber projects. Allowing installment payments up to four years provides flexibility for districts which need the funding but are unable to fully budget for the non-discount portion in one budget cycle.

Page | 5 www.e-mpa.org



Applicants are experiencing budget cuts from virtually every angle, including E-rate's phase down of voice support. To counter diminishing funding, we implore the FCC to take steps to implement creative payment options.

Summary

E-MPA® believes the E-rate program has an opportunity to be significantly simplified and streamlined while meeting the applicant community at their need.

- Simplify the application process for applicants, the review process for USAC and the post-commitment change process for both by moving to a by-district category two budget instead of a by-entity budget.
- Provide schools and libraries local control to determine where to place eligible equipment within eligible entities at their school district or library system
- Increase the per student amount from \$150.00 to a more realistic \$400.00 for a five-year period.
- Allow applicants up to four years to pay their non-discount portion of category two projects.

It will be possible to reach Chairman Pai's stated goal of a simplified application once C2 budgets are allocated per-district rather than per-site. The actual needs of the applicants can be met through the increase of the per student category two budget amount and allowing the flexibility of installment plan payments of the non-discount portion. E-MPA® believes that these changes can be implemented for the FY 2019 Funding Year.

In conclusion, E-mpa® respectfully requests the FCC to consider these recommendations and to incorporate them into the future of the E-rate program.

E-RATE MANAGEMENT PROFESSIONALS ASSOCIATION

/s/ Melinda A. Van Patten

Melinda A. Van Patten, President

Attachment 1: E-mpa® Sample Set of Category Two Budget Deficiencies

Page | 6 www.e-mpa.org

Attachment 1: E-mpa Comments

20 1996 201	State	BEN	Erate Year	School District	Total Bid	Student Count	Actual Cost Per Student	Project Scope of Work
								Switching and WiFi additions were scrapped due to budget
10, 10,	NC	127068	2017	Presley Elementary Special Needs School	\$15,293.52	41	\$373.01	
March 1970								we knew we knew we were going to be significantly over our \$150 per student
20 2006 2017	AS	17010594	2017	American Samoa (Pavaiai ECE)	\$29,052.00	55	\$528.22	computer lab.
1.0 1.0	NC	127068	2017	Iredell-Statesville Career & Technical School	\$25,625.99	90	\$284.73	
1985 1986								The Salinas City Elementary School District requires new cabling to be added
1985 1986								required to install new cat 6 cable to various locations** through-out the
1995 1995 1996								10gb ready fiber optics. NETWORK ELECTRONICS
20 20000 2000 100000 100000 100000 100000 100000 100000 100000 100000 100000 1000000 1000000 100	CA	144081	2016	Salinas City ESD Year 18 - Single Site	\$115,640.40	149	\$776.11	and ups. Provide a caching server.
Section Sect								Meraki Wireless solution (switches, WAP's, UPS's & MIBS). Had no budget for
Section Sect								
Body 1997	SD	226016	2016	Lower Brule School District - Rural Tribal School District (3 sites)	\$88,858.00	300	\$296.19	
1,750, 1					,,			representative of at least 9 other schools that required similar budget
100 1707706 2017								reductions
100 1707706 2017								
As 19930 2077 American Sense (Greene Bernetary School) 511,571,00 555 506.00 Construction of the sense of the	NC	127068	2017	Iredell-Statesville Scotts Elementary Schooll	\$78,931.37	403	\$195.86	
As 199130 3207 American Sensos (Coleman Elementary School) 511,171,00 555 500. No. 199130 1207 (Sensor School) 12	WA	17102746	2017	(New) Riverbend Elementary School	\$123,074.60	404	\$304.64	
March 1997 2017 Annexista Samos (Coleman Dismontary Colona) 2511.577.00 555 520.00 100								New copper and fiber optic cabling, switches and wireless access points.
### CHAINS AND CONTROL OF THE CONTRO	AS	199130	2017	American Samoa (Coleman Elementary School)	\$111,571.00	555	\$201.03	budget, we only provided cabling and wireless network equipment to 5
The Private Configuration of the Configuration of t								WIRELESS COMPONENTS
The Private Configuration of the Configuration of t								
The Finished Explosure of Security 2 (security of security miles for security of the security	NC	11118	2017	Leake and Watts Services, Inc (6 Sites)	\$397,128.00	771	\$515.08	
throughout the respond, and are Cargony's clother must be intended por the leave the reconstruction (Concerning Lange and the particular of the most of the concerning Lange and the particular of the particular of the concerning Lange and the concern								
CA 143964 2015 Frührecht USD Yr 19 - Single Site F								throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawings.
The expect will be removed any spicular forcegoth the camput. Security of the company of the company of the camput. Security of the company of the camput. Security of the company of the company of the camput. Security of the company of the co								cabinet that will be provided and installed by the contractor. The existing Main
Existing cable will be exmoust as roded. Provide a cost to sulfation that is expected for section 1 composite flow provides acrost source of the provides across source of the provides								the existing location.
Oct 143946 2015 Frainheale USD 1/19 - Single Site S101,050.71 855 S352.11 expended out road frait buology, according roaded, slot or we already of the company of the compa								Existing cables will be removed as noted. Additive Alternate #1
CA 143964 2015 Pruthode USD Y1 19 - Single Site S101,050.71 855 S352.11 sepanded extra belogie, we cold in challed here and extra single sites of the control and excellent sites will be provided and unique sites of the existing exelution. His first structure. Each before the excellent sites of the existing exelution sites of the existing exelution site of the existing exelution site of the existing exelution. His first structure. Each before the excellent sites of the existing exelution site of the existing exelution and details solved on the existing exelution site of the existing exelution and details solved on the existing exelution and existing exelution exelutions								optic system.
The Turt Union rigin School District requires new data calculate to the recording of the incombine of the control of the contr	CA	143946	2016	Fruitvale USD Yr 19 - Single Site	\$301,050.71	855	\$352.11	While new network electronics was desparately needed, since we already
her throughout the campus. All fews Category's Cable must be installed per the locations show an provided deminister, like we included captured that will be provided and installed by the contraction. **The Tall Union Migh School Calcut regulars an ingrigate to the earling bloder will be provided and installed by the contraction. **The Tall Union Migh School Calcut regulars an ingrigate to the earling bloder will be repossible for the removal and regularoment of the earling earling bloder will be repossible for the removal and regularoment of the earling earling and the company providing a "Life spring must be stand regularoment of the earling earling and the company providing a "Life spring must be stand regularoment of the earling earling and the company providing a "Life spring must be stand regularoment on the earling earling and the company providing a "Life spring must be stand provided and standard whereas tradge that will command the earling earling and the company providing and the company providing and the company providing and the company provided and standard whereas tradge that will command the earling and the company provided devices and the company provided devices and the company provided devices and the company provided devices, and the company of the company provided devices, and the company provided devices, and the company of the com								STRUCTURED CABLE The Taft Union High School District requires new data cabling to be installed.
provided and installed by the contractor. ATT ATT Usining Spot Character requires a pulsar plant of the existing bloder will be responsible for the resonance of the existing bloder will be responsible for the resonance of the existing experiment with Institution above the campon providing a series of the existing experiment with Institution above the campon providing a series of the existing experiment with Institution and the provided through out the campon providing as 1-1 deployment. Editors will be reposed through out the remote field house to the remote institution to the first throughout the campon providing as 1-1 deployment in provide coverage for substitution to the first throughout the complete requires series and the provided through the provi								throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawings. New Horizontal Connection (HC)
The Tail Holoss Institutioners an aggrande to the existing entered informationaries. Exhibided will be responsible for the emonal and registerment of the exhifts with the responsible for the emonal and registerment of the exhifts with the Hardward and the Hardward								provided and installed by the contractor.
edge witChes and replacement with HH-MISPOR Juniper 3800 Mighes without Section 1 and Part With HH-MISPOR Juniper 3800 Mighes your beat of the provided from the camps providing a 1 already man, million with a feet of the provided from the camps providing a 1 already man, million with a feet of the provided from the camps providing a 1 already man, million with a feet of the main camps as well as extend focusion with the provided from the camps providing a 1 already man, and the main camps as well as extend focusion with the provided from the main camps as well as extend focusion with the provided from the main camps as well as extend focusion with the provided from the main camps as well as extend focusion with the provided from the main camps as well as extend focusion with the main camps as well as extended from the main camps as well as extended to the main camps as well as extended from the main camps as well as extended from the main camps and the main camps are well as extended from the main camps and the main camps are well as extended from the cather of the main camps and the main camps are well as extended from the cather of the main camps and the main camps are well as extended from the cather of the main camps and the main camps are well as extended from the most extended from the main camps and the cather of the most extended from the most extended								The Taft Union High School District requires an upgrade to the existing
Wredes Access Points will be provided through-out the campus providing a security deployment. Elders will be a controlled and								edge switches and replacement
1.1 deployment. Bioders will include additional verifies bridges that stude connect the remote field house to the main campus as well as the control of the main campus as well as extension focusion to provide overeign for student common areas. Tark UHSD Yr 18 - District Wide S1,771,743.02 1,047 S1,692.21 Early TUTURED CABLING The Wilsons achool District requires new filter of the control of the main campus as well as extension of the main campus as well as the control of the main campus and campus and control of the main campus and con								
A 143904 1015 Taft UHSD Yr 18 - District Wide S1,771,743.02 1,047 S1,692.21 extentro locations to provide coverage for student common areas.								include additional wireless bridges that will connect the remote field house to
The Wistons school District requires new fiber optic cabling to be installed throughout the campuses. All installed fiber is to be demolshed out. The contractor will supply necessary pathways, conduit, raceway, enclosure, and connectors. New fiber optic cabling shall be installed per the locations and details shown on provided drawings. The District needed to also installed more relevant to the property and the property of the fiber float stop	CA	143904	2015	Taft UHSD Yr 18 - District Wide	\$1,771,743.02	1,047	\$1,692.21	the main campus as well as exterior locations to provide coverage for student common areas.
filter to be demolished out. The contractor will supply necessary pathways, conduit, raceway, endoces, and connectors. New fliver office clading shall be installed per the locations and details shown on provided drawings. The District needed to also isstall every extent endoces are substalled from the provider and the provider of the provider state of one of the called project. A 144071 2017 Wilsona School District Mail to stop the provider and the provider of the provider of the provider state of one of the called per provider and the provider of the								The Wilsona school District requires new fiber optic cabling to be installed
Installed per the locations and details shown on provided drawings. The District needed to also isstall new network describates, but since there was not any farte monies or other available funds, the District had to stop the project. The Wilsona School District is also stop the project. The Wilsona School District is also stop the project. The Wilsona School District is also stop the Installed per the District is also stop the project. The Wilsona School District is also stop the project. The Wilsona School District is also stop the project is the project is also stop the project is also stop the project is also stop the project is t								fiber to be demolished out. The contractor will supply necessary pathways,
Project after doing the cable project. The Wilsons School District S385,307.75 1,302 S295.94 The Wilsons School District requires new data cabling to be installed throughout the campuses. All new Category 6 cable must be installed per the locations shown on provided drawings. Needed several cabing, switching and WAP upgrades but could not afford additional equipment needed to do 11 inflithing the because of additional costs not covered by Erate. NC 126997 2015 Hoke Cuntry High School S344,152.99 1,970 S174.70 WIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. GA 128080 2017 Macon Country School District S488,523.37 2,133 S229.03 STEUCTURED CABLING The Turlock Unified School District requires new data cabling and filter optics to be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed for the locations show on provided drawings. The Cast Gabling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming the exist project that will provide a 11 unreless environment. The legacy 62.5 filter optics will be removed and replaced with new single-mode filter optic cabling. This cable will serve as the backhone infrastructure for an upcoming upged from 100 to 105 file network optics optics will be removed to provide part oncits, wreless access points and writers controlled connections will be provided in the contractor's blight controlled controlled configuration, testing, labeling and documentation will be provided in contractor's big time. 4500 x and 2500 switch configuration and installation.								installed per the locations and details shown on provided drawings. The District needed to also install new network electronices, but since there was
CA 144071 2017 Wilsons School District \$385,307.75 1,302 \$295.94 throughout the campuses. All new Category 6 cable must be installed per the locations shown on provided drawings. Needed several cabling, switching and WAP upgrades but could not afford additional equipment needed to do 11 intilinative because of additional costs not covered by Erate. NC 126997 2015 Hoke Cuntry High School \$344,152.99 1,970 \$174.70 WIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. GA 128080 2017 Macon Country School District \$488,523.37 2,133 \$229.03 The Turlock Unified School District requires new data cabling and filter optics to be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawings. The Cast Goalbing requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming between Extension project that will provide a 11 wireless environment. The legacy 45.5 filter of Locations Shown on provided drawings. The Cast Cabling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming date and replaced with new single-mode filter optics will be removed and replaced with new single-mode filter optics will be removed and replaced with new single-mode filter optics cables. The Constanct will be responsible to provide paction costs, wereless access points and wireless conforted connection \$4 to the constanct's big buries core-fileg switches. All programming, configuration, testing, labeling and documentation will be provided in the constanct's big buries core-fileg switches. All programming, configuration, earling, labeling and documentation will be provided in the contractor's big the contractor's buries contracting in the contractor's buries contractor's buries contracting in the contractor's buries contracting in the contractor's b								project after doing the cable project.
Additional equipment needed to do 1.1 initiative because of additional costs not covered by Frate. NC 126997 2015 Hoke Cuntry High School \$344,152.99 1,970 \$174.70 WIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. STRUCTURED CABLING The Turlock Unified School District enw data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawing. The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawing roper infrastructure, providing data connectivity for the sporning the between Externost project that will provide a 11 universe environment. The legacy 45.7 fiber on provided and replaced with new single-mode fiber optic cabling. This cable will seve as the buschone enfastructure for an upcoming. MITMORE ILECTRONISS The Contractor will be responsible to provide patch confus, writees access points and writeries controlled connecting all devices to the existing confedege switches. All programming, configuration, testing, labeling and documentation will be provided in the contractor's big time. 4500X and 2560 switch. CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76	CA	144071	2017	Wilsona School District	\$385,307.75	1,302	\$295.94	throughout the campuses. All new Category 6 cable must be installed per the
NC 126997 2015 Hoke Cuntry High School \$344,152.99 1,970 \$174.70 WIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. STRUCTURED CABLING The Turlock Unified School District policy in small propriets in stalled performance. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance. The floor opport of the must be installed performance opport of the must be installed performance. The floor opport of the must be installed performance opport on the must be installed performance. The floor opport of the must be installed performance of the floor opport of the must be installed to the device should be strictly opported and the floor opported opported opports. The Contractor will be responsible to provide paids note, swriets access points and wireless controlled connecting and documentation and wireless controlled connecting and documentation and wireless controlled connecting and documentation will be provided in the contractor's big floor. 4500X and 2560 switch configuration and installation.								additional equipment needed to do 1:1 initiative because of additional costs
MIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. GA 128080 2017 Macon Country School District \$488,523.37 2,133 \$229.03 STRUCTURED CABLING The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category is cable must be suitable green the locations shown on provided carways. The Cast Gabing requested will be added to the existing copper infastructure, providing data come growth as a service of the existing copper infastructure, providing data come growth as a service and compared and replaced with new single-mode fiber optic cabling. The Cast Gabing requested will be added to the existing copper infastructure for an upcoming upgrade from 168 to 1058 network optics. The legacy E2.5 fiber optics will be removed and replaced with new single-mode fiber optic cabling. This cable will serve as the backbone infrastructure for an upcoming upgrade from 168 to 1058 network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch conds, wheleas access points and wheleas controlled connecting confedgradion, testing, labeling and documentation and wheleas controlled connecting and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration, reading and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration and installation.								not covered by Erate.
MIRELESS COMPONENTS Data switches, WAP's, and UPS's. Had no budget for cabling. GA 128080 2017 Macon Country School District \$488,523.37 2,133 \$229.03 STRUCTURED CABLING The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category is cable must be suitable green the locations shown on provided carways. The Cast Gabing requested will be added to the existing copper infastructure, providing data come growth as a service of the existing copper infastructure, providing data come growth as a service and compared and replaced with new single-mode fiber optic cabling. The Cast Gabing requested will be added to the existing copper infastructure for an upcoming upgrade from 168 to 1068 network optics. The legacy E2.5 fiber optics will be removed and replaced with new single-mode fiber optic cabling. This cable will serve as the backbone infrastructure for an upcoming upgrade from 168 to 1068 network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch conds, whereas access points and whereas controlled connecting confedgradion, testing, labeling and documentation and whereas controlled connecting and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration, reading and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration and installation.		120007	2015	Hala Contact Contact	6344 453 00	1.070	6474.70	
GA 128080 2017 Macon County School District S488,523.37 2,133 \$229.03 The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided arways. The Cat Gabing requested will be added to the existing copper infrastructure, providing data comercity for the supcoming letwork Electronics project that the legacy E.S. fiber optics will be armosed and explaced with new single-mode fiber optic cabling. This cable will serve as the backbone infrastructure for an upcoming upgrade from SGB to LOGB network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch conds, wereless access points and writeries controlled connecting and documentation and writeries controlled connecting and documentation and writeries controlled connecting and documentation will be provided in the contractor's big long-ex-500X and 2960 switch configuration, retring, labeling and documentation will be provided in the contractor's big long-ex-500X and 2960 switch configuration and installation.	NC	126997	2015	HOKE CUNTY High School	\$344,152.99	1,970	\$1/4.70	
STRUCTURED CABLING The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawings. The Cast Gabling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming Network Electronics project that will provide a 1.1 wireless environment. The legacy C2.5 fiber optics will be removed and replaced with new single- moder fiber optic cabling. This cable will severe as the backbone infrastructure for an upcoming upgrade from 1GB to 10GB network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch coords, wireless access points and wireless controlled connecting and documentation and wireless controlled connecting all devices to the existing core/edge switches. All programming, configuration, testing, labeling and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration and installation.								8
STRUCTURED CABLING The Turlock Unified School District requires new data cabling and fiber optics to be installed throughout the campus. All new Category 6 cable must be installed per the locations shown on provided drawings. The Cast Gabling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming Network Electronics project that will provide a 1.1 wireless environment. The legacy C2.5 fiber optics will be removed and replaced with new single- moder fiber optic cabling. This cable will severe as the backbone infrastructure for an upcoming upgrade from 1GB to 10GB network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch coords, wireless access points and wireless controlled connecting and documentation and wireless controlled connecting all devices to the existing core/edge switches. All programming, configuration, testing, labeling and documentation will be provided in the contractor's big time, 4500X and 2960 switch configuration and installation.	GΔ	128080	2017	Macon County School District	\$488 523 37	2 133	\$229.03	
to be installed the locations show no provided drawing. If the case of the locations show no provided grawing in state of the locations show no provided grawing. The Cast Goaling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming reflect that will provide a 11 wireless environment. The legacy 42.5 filter or procise will be removed and replaced with new single-mode filter optics will be removed and replaced with new single-mode filter optics will be removed and replaced with new single-mode filter optics will be removed to 15 tild network optics. The Constructor will be responsible to provide paint norst, wereless access points and wireless controlled connecting all devices to the existing core/edge owtiches. All programming, configuration, testing, labeling and documentation will be provided in the constract's big lame. 4500X and 2560 switch configuration and installation. CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76	- CA		-441	Comment Section VISHILL	U,JE3.31	-,,-	7227.03	
The Cast Goabling requested will be added to the existing copper infrastructure, providing data connectivity for the sporning between Electronic project that will provide a 11 wireless environment. The legacy 62.5 fiber copics will be removed and replaced with new single-mode fiber optic cabling. This cables will some as the backbone infrastructure for an upcoming upgade from 108 to 1056 network optics. The Constanct will be responsible to provide patch coxid, wereless access points and wireless controller connecting all devices to the existing core/edge owtiches. All programming, configuration, testing, labeling and documentation will be provided in the constanci's big limit. 4500X and 2960 switch. CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76								to be installed throughout the campus. All new Category 6 cable must be
will provide a 1.1 wireless environment. The legacy 6.2 filter or pricts will be removed and replaced with new single- mode filter optic cabling. This cable will serve as the backbone infrastructure for an upcoming upgrade from 108 to 150fa network optics. NETWORK ELECTRONICS THE CONTRACTOR CON								The Cat 6 cabling requested will be added to the existing copper infrastructure, providing data connectivity for the upcoming Network Electronics project that
for an upcoming upgrade from IGB to 10GB network optics. NETWORK ELECTRONICS The Contractor will be responsible to provide patch cords, wheless access points and wheless controlled recome tight devices to the existing cord-edge switches. All programming, configuration, testing, labeling and documentation will be provided in the contractor's big price. 4500X and 2960 switch CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76								will provide a 1:1 wireless environment. The legacy 62.5 fiber optics will be removed and replaced with new single-
The Contractor will be responsible to provide patch coxids, wheless access points and wheless controlled connecting all devices to the existing core/edge switches. All programming, configuration, testing, labeling and documentation will be provided in the contractor's big lone. 4500x and 2960 switch CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76								for an upcoming upgrade from 1GB to 10GB network optics.
CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76 will be provided in the contactor's bid price. 4500X and 2960 switch configuration and installation.								The Contractor will be responsible to provide patch cords, wireless access points and wireless controller connecting all devices to the existing core/edge
CA 16027882 2016 Turlock USD Yr 18 & 19 - District Wide \$3,079,603.42 13,950 \$220.76								will be provided in the contactor's bid price. 4500X and 2960 switch
	CA	16027882	2016					comparation will HStdHatter.